



professional tractor powered mowing equipment

Pegasus S2

The Trimax Pegasus Series 2 is designed for efficiency. Trimax's outstanding engineering, unique LazerBladez™ cutting system and multiple blade spindles combine clean cutting with even clippings distribution and more cuts per metre at higher ground speeds. This all adds up to an exceptionally productive machine.

For extra versatility the PegasusS2 is available in two models, the Classic and Elite. The Classic features full width rollers for striping and safety. The Elite however is the pinnacle of tractor powered wide-area mowing equipment. With full electro-hydraulic controls the operator can activate the mower's individual lift and 'kerb jump' features remotely from the tractor seat.

The cylinder-like cut finish of all PegasusS2 models makes them ideal for fine turf applications, yet they retain the strength and versatility required for general amenity mowing. So for the best of both worlds you simply can't go past the Trimax Pegasus Series 2.

Pegasus Elite

It doesn't get any better than this. Individual lift whilst mowing, kerb jump and full remote hydraulics, all in addition to the superb features of the Classic model.

With the flick of a switch on the electro-hydraulic control panel, (located next to the operator), either or both decks can be raised without slowing or stopping the mower! Gone are the days of dismounting the tractor to disengage, secure, or re-engage a mower deck. Automatic locks secure the decks in the raised position and fail-safe systems are used throughout. This individual lift is especially useful in confined areas, allowing the operator to raise the side decks to fit between trees and boundary fences.

The innovative 'kerb jump' feature allows the operator to raise all mower decks just clear of the ground at the flick of a single switch. This is ideal for crossing gravel driveways, tree roots or low kerbs without fully raising the mower decks or disengaging the PTO drive.

For superb results in everything from municipal mowing to golf courses you simply can't go past the Trimax PegasusS2 Elite.



Hydraulic deck controller and kerb jump.



engineered for extreme productivity... just add tractor!

Pegasus Classic

For those mowing expansive areas the PegasusS2 Classic is ideal. The large cut width, even clippings distribution, incredible wing float and contour following, safe road transportation and fast mowing speeds make this mower perfect for a variety of applications. For sports fields, parks, schools, sod or turf farms, racetracks, golf courses, polo fields and airports the PegasusS2 Classic is the ideal partner.

Trimax's unique *LazerBladez™* cutting system makes all models of the PegasusS2 perform impeccably in everything from heavy conditions to fine turf. This fling-tip blade set up has been designed by Trimax engineers to optimise cut finish and blade life. The 'tilt-forward' design, full-length cutting edge, optimised blade mass and scientifically engineered upturn ensure that this blade outperforms anything you've seen before. Produced specifically for Trimax, the steel alloy is significantly hardened to ensure optimum blade life yet retains the toughness essential for commercial mowing applications.

Superb deck articulation and Trimax LazerBladez™ are just two of the many features of the Pegasus Series 2.



Moving between locations is a safe and easy exercise. Decks are hydraulically lifted and automatically locked into place for transport mode.



Full width rollers on all decks produce a superb striping effect and virtually eliminate scalping. Mower decks can be run along the edge of banks or concrete kerbs without fear of blade strikes. Safety is also ensured as thrown debris is contained within the cutting chamber and discharged downwards.

Tractor power is delivered to each mower deck via shafts and gearboxes where a proven low-maintenance belt drive distributes it to the individual blade spindles. Shock protection is built in exactly where it counts, between the blades and the gearbox. Ease of maintenance and reliability have been engineered into the design.

This mower spends time mowing grass, not in the workshop!

Options

Transport brakes

For increased safety in transport mode optional electric brakes can be specified on both the Classic and the Elite.

Turf tyres

Wide turf tyres with mudguards are available on both the Classic and the Elite for situations where the machine is not regularly driven along public roads.

Individual wing lift makes mowing confined areas a breeze.




Specifications

The manufacturer has a policy of continuous improvement, therefore specifications may change without notice.

DESIGNED & MANUFACTURED IN
NEW ZEALAND

- (A) Transport**
Independent suspension.
Mudguards with road lighting.
Optional brakes OR turf tyres.
- (B) Positive automatic locks**
Mower decks secured in raised position.
- (C) Transmission**
Two year warranty on all gearboxes.
Proven belt drive with inbuilt shock protection.
Stainless steel transmission covers.
- (D) Mower deck bodies**
5mm steel body and monocoquular construction.
Underbody developed for excellent cut & even discharge.
- (E) Cutting height**
Infinitely variable within cut height range.
Cut height indicators.
- (F) Rollers**
Large diameter rollers with domed ends.
Rollers front and rear for superb contour following.
Front roller placement allows long grass cutting.
Custom bearing greasing system.
Optional roller scrapers.
- (G) Blades**
LazerBladez™ 'tilt-forward' fling-tips excel in all conditions.
High blade tip speeds & more cuts-per-metre of travel.
- (H) Electro-hydraulic control panel (Elite model only)**
All lift functions controlled from tractor cab.
Manual override provided.
- (I) Chassis**
Strong box section construction.
Greaseable joints with replaceable parts throughout.



WARNING: Machinery shown in this publication may have protective guards removed for demonstration purposes. Trimax strongly recommends the use of safety guards and shields during normal operation to reduce the risk of property damage, serious bodily injury or even death from objects thrown out by, or from contact with the cutting blades.

insist on Trimax
Genuine Parts

	G2 493 Classic & Elite	G2 610 Classic & Elite
Cutting Width	4.93m (16' 2")	6.10m (20')
Overall Width	5.08m (16' 8")	6.25m (20' 6")
Transport Width	2.50m (8' 2½")	2.50m (8' 2½")
Overall Length ¹	4.12m (13' 6")	4.12m (13' 6")
Cut Height Range	10-102mm (¾"-4")	10-102mm (¾"-4")
Approx Weight ²	2100kg (4620lb)	2200kg (4840lb)
Minimum Power ³	38kW (50hp)	42kW (55hp)

¹ Extendable drawbar retracted

² Dependant on options fitted

³ For trim mowing only on level ground – 45-53kW (60-80hp) ideal for most conditions

New Zealand registered design number 404113
United Kingdom registered design number 3017081



www.trimaxmowers.com

New Zealand

70 Maleme Street
PO Box 2150, Tauranga 3001
New Zealand

phone: +64 7 541 0411 (SALES/ADMIN)

phone: +64 7 543 1897 (PARTS)

fax: +64 7 541 0412

email: sales@trimaxmowers.co.nz

United Kingdom

Unit 11B, Hill Farm Estate, Irthlingborough Road
Little Addington, Kettering, Northamptonshire
NN14 4AS, United Kingdom

phone: 01933 652235 (SALES/ADMIN)

phone: 01933 652246 (PARTS)

fax: 01933 652254

email: info@trimaxmowers.co.uk

Your nearest authorised dealer:

